

Abacus, multiplying *luminescence.*


Used for centuries as the tool to both teach and communicate mathematics, the abacus was found in one form or another across the ancient world. At Terzani, we saw the beauty in the abacus' mathematical purity and clean, functional design. In the hands of Terzani's craftsmen, we've turned this inspiration into a new collection of modular pendant lamps whose flexibility allows for complex and beautiful configurations. Each module, or strand, of Abacus contains a custom set of round, hand-blown opal glass which emit a soft and uniform light. And, as the original abacus was used to calculate everything from simple addition to complex formulas, we've retained the same scalability. Due to its customization, our Abacus light is just as suitable in a home as a commercial space, and its almost infinite configurations makes sure you always come up with the right solution. Design Draw.




























Product codes and descriptions:

- V01S 15KK**: Ø2.8" - 7cm, 5 spheres
- V01S P15**: Ø2.8" - 7cm, 5 spheres, ETL us
- V01S 1AKK**: Ø2.8" - 7cm, 10 spheres
- V01S P1A**: Ø2.8" - 7cm, 10 spheres, ETL us
- V01S 1FKK**: Ø2.8" - 7cm, 15 spheres
- V01S P1F**: Ø2.8" - 7cm, 15 spheres, ETL us
- V03S P1V**: Ø7.9" - 20cm, 3x10 spheres, ETL us



| LIGHT SOURCE | V01S 15KK | V01S P15 | V01S 1AKK | V01S P1A | V01S 1FKK | V01S P1F | V03S P1V | V03S P2B | V07S P21 | V07S P32 | V07S P43 | V06S R2B | V12S R3M | V15S R4D | | |
|--------------|------------------------------|------------|------------|-------------|-------------|--------------|--------------|-----------------|-----------------|------------------|-----------------|-----------------|-------------------|-----------------|-----------------|------------------|
| 120V | Replaceable LED module 3000K | 3.6W 540lm | 3.6W 540lm | 7.2W 1080lm | 7.2W 1080lm | 10.8W 1620lm | 10.8W 1620lm | 3 x 3.6W 1620lm | 3 x 7.2W 3240lm | 3 x 10.8W 4860lm | 7 x 3.6W 3780lm | 7 x 7.2W 7560lm | 7 x 10.8W 11340lm | 3 x 3.6W 4860lm | 6 x 3.6W 9720lm | 7 x 3.6W 12420lm |
| | Dimmable | 0-10V PWM | 0-10V PWM | 0-10V PWM | 0-10V PWM | 0-10V PWM | 0-10V PWM | 0-10V PWM | 0-10V PWM | 0-10V PWM | 0-10V PWM | 0-10V PWM | 0-10V PWM | 0-10V PWM | 0-10V PWM | |

Different dimming options on request