


TERZANI
LA LUCE PENSATA




TERZANI
LA LUCE PENSATA

I Lucci Argentati large linear chandelier

0N80S-FL

0N80S-FLW



Design Dodo Arslan



I LUCCI ARGENTATI

CODE 0N80S -- FL
3000K

CODE 0N80S -- FLW
2700K

220-240V ~ 50/60Hz MAX 45W

700mA 10xMAX 4,5W

integrated LED

Power Factor = 0.99
Supply current = 0.192 A @ 230V



12Kgf
120N

x3



0...10 V

PWM






30000h





ERC

CB



B TEMPLATE

To place the lighting fixture on the ceiling, use the template found in the packing





I LUCCI ARGENTATI

CODE 0N80S -- FL
3000K

CODE 0N80S -- FLW
2700K

220-240V ~ 50/60Hz MAX 45W

700mA 10xMAX 4,5W

integrated LED

Power Factor = 0.99
Supply current = 0.192 A @ 230V



12Kgf
120N

x3



0...10 V

PWM





30000h







ERC

CB



x3



TERZANI

LA LUCE PENSATA

I LUCCI ARGENTATI

CODE 0N80S -- FL
3000K





CODE 0N80S -- FLW
2700K

220-240V ~ 50/60Hz MAX 45W

700mA 10xMAX 4,5W


integrated LED

Power Factor = 0.99
Supply current = 0.192 A @ 230V



CLEANING INSTRUCTIONS

YES



IT Usare panno elettrostatico asciutto

UK Use dry electrostatic cloth


FR Utiliser un chiffon électrostatique sec

DE Verwenden sie ein trockenes elektrostattuch

PY Использовать сухую электростатическую ткань

عربي استخدم قطعة قماش جافة كهرباء

NO



IT Non usare prodotti chimici

UK Do not use chemical products

FR Ne pas utiliser des produits chimiques

DE Verwenden Sie keine Chemikalien

PY Нельзя использовать химикаты

عربي لا تستخدم المنتجات الكيماوية




IT Conservare questa istruzione per la manutenzione | **UK** Keep these instructions for maintenance

FR Garder ces instructions pour l'entretien | **DE** Dies Wartungsanleitung ist aufzubewahren


PY Сохраните эту инструкцию по эксплуатации | عربي احتفظ بهذه الإرشادات للصيانة

TERZANI
LA LUCE PENSATA



CLEANING INSTRUCTIONS

YES



IT Usare panno elettrostatico asciutto

UK Use dry electrostatic cloth


FR Utiliser un chiffon électrostatique sec

DE Verwenden sie ein trockenes elektrostattuch

PY Использовать сухую электростатическую ткань

عربي استخدم قطعة قماش جافة كهرباء

NO



IT Non usare prodotti chimici

UK Do not use chemical products

FR Ne pas utiliser des produits chimiques

DE Verwenden Sie keine Chemikalien

PY Нельзя использовать химикаты

عربي لا تستخدم المنتجات الكيماوية



IT Conservare questa istruzione per la manutenzione | **UK** Keep these instructions for maintenance

FR Garder ces instructions pour l'entretien | **DE** Dies Wartungsanleitung ist aufzubewahren


PY Сохраните эту инструкцию по эксплуатации | عربي احتفظ بهذه الإرشادات للصيانة

TERZANI
LA LUCE PENSATA

I Lucci Argentati large linear chandelier

0N80S-FLD

0N80S-FLWD



Design Dodo Arslan

TERZANI
LA LUCE PENSATA

I LUCCI ARGENTATI

CODE 0N80S -- -- FLD
3000K




CODE 0N80S -- -- FLWD
2700K

220-240V ~ 50/60Hz MAX 45W

700mA 10xMAX 4,5W

integrated LED


Power Factor = 0.99
Supply current = 0.192 A @ 230V



B TEMPLATE

To place the lighting fixture on the ceiling, use the template found in the packing

A	B	C	D	E
20 mm	19 mm	10 mm	0 mm	4 mm



TERZANI
LA LUCE PENSATA

I LUCCI ARGENTATI

CODE 0N80S -- -- FLD
3000K



CODE 0N80S -- -- FLWD
2700K

220-240V ~ 50/60Hz MAX 45W





700mA 10xMAX 4,5W

integrated LED

Power Factor = 0.99
Supply current = 0.192 A @ 230V



x3



TERZANI
LA LUCE PENSATA

I LUCCI ARGENTATI

CODE 0N80S -- -- FLD
3000K

CODE 0N80S -- -- FLWD
2700K

220-240V ~ 50/60Hz MAX 45W

700mA 10xMAX 4,5W

integrated LED

Power Factor = 0.99
Supply current = 0.192 A @ 230V

